

# Fall 2009 - MONSTROUS METAL SHOP SAVINGS



## WET • DRY VACUUMS

**3.5 PEAK HP 5<sup>20</sup> LITERS**  
Gallon US

- 8520LP**
- 3.5 Peak HP motor
  - 5 Gallon US (20L) plastic tank
  - Double filtration system
  - Convenient power cord wrap
  - Comes complete with 6 ft. x 1-1/4" thread-on hose, 3 pc. plastic extension wand, 20L dust bag, foam filter, reusable filter, 10" floor sweep and crevice tool

**\$55.99**

**5 PEAK HP 10<sup>40</sup> LITERS**  
Gallon US

- 8540LST**
- 5 Peak HP motor
  - 10 Gallon US (40L) corrosion resistant stainless steel tank
  - Double filtration system
  - Tank water drain
  - Power cord wrap for 12 ft. power cord
  - Comes complete with 6 ft. x 1-1/4" hose, 2 pc. extension wand, 40L dust bag, cartridge filter, foam filter, reusable filter, 10" floor sweep and crevice tool

**\$119.99**

**6.5 PEAK HP 16<sup>60</sup> LITERS**  
Gallon US

- 8560LST**
- 6.5 Peak HP motor
  - 16 Gallon US (60L) corrosion resistant stainless steel tank
  - Double filtration system
  - Tank water drain
  - 18 ft. power cord with convenient power cord wrap posts
  - Comes complete with 8 ft. x 2-1/2" flex hose, 2 pc. 2-1/2" extension wand, contoured handle with air control, cartridge filter, foam filter, 14" floor sweep with squeegee insert, gulper tool, crevice tool and hanging accessory storage bag

**\$199.99**

## RECIRCULATING PARTS WASHER

- KPW-220**
- Safety lever has fusible link
  - 12 gallon solvent capacity
  - Durable pump included
- 20 GALLON**

**\$159.99**

## 7" X 12" METAL CUTTING BANDSAW

- KC-712BC**
- 12 amp. motor
  - Coolant system
  - Adjustable ballbearing guides
  - 4 speeds (85-130-180-235 SFPM)

**\$999.**



- H.S.S. BLADES**  
**KBB-712**  
(93" X 3/4")
- \$19.99**

- BI-METAL BLADES**  
**KBB-712-8M**  
BY KING CANADA
- \$39.99**
- "SKIP TOOTH" (93" X 3/4")

## 90 PC. DRILL & BIT ACCESSORY KIT

- KDB-90K**
- Quick change drill chuck
- \$29.99**

## DIGITAL FRACTIONAL CALIPER

- KM-106**
- \$29.99**
- Converts to inches (decimal and fractional) and metric readings
  - Waterproof to IP54 standards
  - Two 3V Lithium batteries included

## 5" ANGLE DISC GRINDER

- 8364** • 9.5 amp. motor  Double Insulation
- 11,000 RPM



**\$55.99** **NEW**

## 7" ANGLE DISC GRINDER

- 8373**
- 15 amp. motor
  - 8,000 RPM
  - Magnesium die cast gear housing



**\$99.99** **NEW**

Double Insulation

## 20 TON HYDRAULIC SHOP PRESS

- KHP-20T**
- Heavy-duty "H" frame with pressure gauge
  - Stroke 7-1/4"
  - Working range 0 - 37-1/2"
  - Bed width 21-5/8"
  - Adjustable bed height with support rods



**\$299.99** **NEW**

ON-OFF switch for power and light located in the front of the machine

## LASER GUIDE SYSTEM

- DRILL PRESS CHUCK SAFETY GUARD**  
**KM-116**  
Fits KC-116FC
- \$19.99**

- DRILL PRESS CHUCK SAFETY GUARD**  
**KM-118**  
Fits KC-118FC
- \$19.99**

- Bonus 4" DRILL PRESS VISE**  
With the purchase of # KC-116FC

## 13" DRILL PRESS WITH DUAL LASER GUIDE SYSTEM

- KC-116FC**
- Powerful 7.5 amp. motor
  - 16 speeds (210-3670 RPM)
  - 13" swing
  - 3 5/16" stroke
  - 5/8" chuck
  - JT#3

**\$299.99**

## 17" DRILL PRESS

- KC-118FC**
- Powerful 12.5 amp. motor
  - 16 speeds (240-3400 RPM)
  - 17" swing
  - 3 1/4" stroke
  - 5/8" chuck

**\$449.**

[www.kingcanada.com](http://www.kingcanada.com)

Available in November

**\$299.99**

# VERTICAL TURRET MILLING MACHINES

## VERTICAL TURRET MILLING MACHINE

- 942VS-6-NF**  
**942VS-6-NF-5**
- 3 HP Motor
  - R-8 Spindle taper
  - Size of table 9"x42"
  - Table travel 30"
  - Saddle travel 12"
  - Knee travel 16"
  - Quill travel 5"
  - 2 speed variable speed drive (70-500, 600-4200 R.P.M.)
  - Max. distance spindle to table 19"
  - Distance spindle to column 6 3/4"-19"
  - Quill power feed (.0015, .003, .006)
  - Ram movement 12"

## FAGOR DIGITAL READOUT SYSTEM



- 20i-M-1230**  
**2 AXIS with 12" x 30" scales (Fits 942VS-6-NF)**  
**\$1699.**

AVAILABLE 220 OR 550 VOLTS

## VARIABLE SPEED DRIVE

## FAGOR DIGITAL READOUT SYSTEMS



- 20i-M-1836**  
**2 AXIS with 18" x 36" scales (Fits 1050VS)**  
**\$1799.**



- 30i-M-183616**  
**3 AXIS with 18" x 36" x 16" scales (Fits 1050VS)**  
**\$2799.**

## HORIZONTAL & VERTICAL ROTARY TABLES

- KC-HVRT-6** **\$299.**  
 • Size 6"
- KC-HVRT-8** **\$499.**  
 • Size 8"



## 18 PC. COLLET SETS \$299. ea.

- Includes straight shank, 15 collets, wrench and plastic case.
- KCS-4015**  
 • Straight shank taper ISO 40  
 • Draw Bar 5/8" WII
- KCS-R8-15**  
 • Straight shank taper R8  
 • Draw Bar 7/16" NF 20



## K-TYPE SWIVEL BASE MILLING VISES

- 4"-KMV-4N** **\$159.**  
**6"-KMV-6N** **\$199.**  
**8"-KMV-8N** **\$349.**



## VERTICAL TURRET MILLING MACHINE 1050VS

- 5 HP Motor
- ISO-40 Spindle taper
- Size of table 10"x50"
- Table travel 36"
- Saddle travel 16 1/2"
- Knee travel 16"
- Quill travel 5"
- 2 speed variable speed drive (70-500, 600-4200 R.P.M.)
- Max. distance spindle to table 18"
- Distance spindle to column 24"
- Quill power feed (.0015, .003, .006)
- Ram movement 24"

## optional TABLE POWERFEED LONGITUDINAL

- PFM-9422**
- 440 lbs torque
  - 2.5 amp motor
- \$599.**

## Special PACKAGE PROMOTION

- installed with
- **942VS-6-NF MILLING MACHINE**
  - **PFM-9422 TABLE POWERFEED**
  - **KCS-R8-15 18 PC. COLLET SET**
  - **20i-M-1230 FAGOR DIGITAL READOUT SYSTEM**
  - **KMV-6N 6" K-TYPE SWIVEL BASE MILLING VISE**

**\$10999.** 942VS-DELUXE



# METAL FORMING MACHINES

## SLIP ROLLS

- BB-S2420**  
 • Max. length 24"  
 • Capacity 20 gauge  
 • Weight 180 lbs
- BB-S3622**  
 • Max. length 36"  
 • Capacity 22 gauge  
 • Weight 242 lbs
- BB-S5016**  
 • Max. length 50"  
 • Capacity 16 gauge  
 • Weight 600 lbs

**\$699. \$899. \$1999.**



## SHEAR, BRAKE AND ROLL

- BB-3022**  
 • Max. length 30"  
 • Maximum thickness 22 gauge  
 • Weight 290 lbs

**\$699.**

- BB-4022**  
 • Max. length 40"  
 • Maximum thickness 22 gauge  
 • Weight 450 lbs

**\$999.**



## HANDBRAKES

- BB-H4822**  
 • Bending length 48 1/4"  
 • Capacity 22 gauge  
 • Weight 290 lbs
- BB-H4816**  
 • Bending length 48 1/2"  
 • Capacity 16 gauge  
 • Weight 470 lbs

**\$999. \$1499.**



## BOX AND PAN BRAKES

- BB-BP4822**  
 • Bending length 48 1/4"  
 • Capacity 22 gauge  
 • Weight 290 lbs
- BB-BP4816**  
 • Bending length 48 1/2"  
 • Capacity 16 gauge  
 • Weight 715 lbs

**\$1099. \$1799.**



## 52" FOOT SHEAR

- BB-F5216**  
 • Cutting length 52"  
 • Capacity 16 gauge  
 • Weight 1100 lbs

**\$2599.**



# MILLING DRILLING MACHINES

## DRILL PRESS CHUCK SAFETY GUARDS

KM-122  
Fits KC-122FC

**\$19.99**



## 22" DRILL PRESS

KC-122FC

- 12.5 amp. motor
- 1 1/4" capacity
- Spindle taper MT #4
- 12 speeds (140-2660 RPM)
- 4 3/4" stroke
- 3/4" chuck

**\$899.**



HEADS TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



## 21" GEARHEAD DRILLING MACHINE

KC-40HS

KC-40HS-6

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper MT#3
- 6 Speeds (60-1500 R.P.M.)
- Face Mill Capacity 4"
- End Mill capacity 3/4"

FREE ANGLE VISE

**\$3299.**



HEADS TILTS 90° TO THE LEFT AND 30° TO THE RIGHT



## GEARHEAD MILLING DRILLING MACHINE

KC-40HC

KC-40HC-5

- 1.5 HP Motor
- Forward & Reversing Switch
- 1 1/4" Drilling Capacity
- 20 7/16" Swing
- Spindle Taper R-8
- 6 Speeds (60-1500 R.P.M.)
- Face Mill Capacity 4"
- End Mill capacity 3/4"
- Working surface of table 23"x 7 1/2"

FREE ANGLE VISE

**\$3999.**



## FREE BONUS PACKAGE



**\$343.85**

## 5 PC ACCESSORY BONUS PACKAGE FREE

INCLUDE WITH THE PURCHASE OF A KC-45 MILLING DRILLING MACHINE

Includes: angle drill, press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and shell mill arbor

## GEARHEAD MILLING DRILLING MACHINE

KC-45

- 1.5 HP Motor
- 20 7/16" Swing
- 5" Stroke
- 6 speeds (60-1500 RPM)
- 9 1/2" x 20" Table
- 1 1/4" Drill capacity
- 4" Face mill capacity
- Spindle taper R8



## CROSSLIDE VISES

- Extremely versatile
- Makes lateral or longitudinal adjustments simple

4" **\$49.99**

5" **\$69.99**

6" **\$89.99**



## KEYLESS DRILL CHUCKS

KDC-12X 1/2"-JT#33 **\$79.**

KDC-12M-X 1/2"-JT#6 **\$79.**

KDC-58X 5/8"-JT#3 **\$99.**

KDC-34X 3/4"-JT#4 **\$129.**



## 52 PC. CLAMPING KIT

KCL-52 Fits 5/8" table slots KCL-5212 Fits 1/2" table slots

**\$59. ea**



## COMPOUND SLIDE TABLES

KCT-512 5 1/2" X 12" **\$149.**

KCT-618 6" X 18 1/2" **\$199.**

• 1/2" T. slots



## 20 PC. TITANIUM COATED END MILL SET

KM-120 TITANIUM NITRIDE COATED HIGH SPEED STEEL 2 & 4 Flute (10pcs. each) Imperial, Single End

**\$109.**



## POWER DOWNFEED & TAPPING



## RECIRCULATING COOLANT SYSTEM



## 28" VARIABLE SPEED GEARHEAD DRILLING MACHINE

KC-50

- Variable speed 2 HP motor
- 27 1/2" swing
- 7" stroke
- Variable Speeds 2 (60-870 / 120-1740)
- 1 1/2" capacity
- Spindle taper MT#4
- 1/2" Chuck & key included

• Voltage 550V, 3 phase

**\$3999.**



## TABLE POWERFEED ATTACHMENT

PFM-30 For # KC-45

**\$499.**

## optional MILLING DRILLING MACHINE STAND

\$5-45 Heavy-duty steel construction

**\$219.**

**\$3999.**



# METAL CUTTING BANDSAWS

## 5" x 6" DUAL SWIVEL METAL CUTTING BANDSAW

KC-129DS

- Head swivels 0° - 45° to the right and 0° - 60° to the left
- Adjustable hydraulic downfeed control
- Automatic shut-off switch
- Adjustable ball bearing guides
- Portable design for easy movement

ADJUSTABLE HYDRAULIC CYLINDER



TRU-LOCK quick locking vise system

### H.S.S. BLADES

KBB-115  
64 1/2" x 1/2" **\$10.99**

BI-METAL BLADES  
KBB-115-BM  
64 1/2" x 1/2" **\$29**

KING CANADA

64" METAL CUTTING BANDSAW



**\$699.**

## 14" SELF-FEED VERTICAL METAL CUTTING BANDSAW

KC-914H

- Powerful 1 HP motor
- Hydraulic gravity feed regulator feeds blade into material by gravity for hands-free use
- Precision blade tension adjustment
- Comes complete with bi-metal blade, work light, chip tray, miter gauge, C clamp vise gravity feed stop clamp and extension roller

**\$3199.**

## 7" X 12" DUAL SWIVEL METAL CUTTING BANDSAW

KC-712DS

- 1 HP Motor
- Returning coolant system
- 4 speeds (98-164-246-328 FPM)
- Automatic shut-off
- Adjustable ball bearing guides

**\$2199.**

## 10" X 18" METAL CUTTING BANDSAW

KC-227-2 (220V)  
KC-227-6 (600V)

VARIABLE SPEED  
AVAILABLE 220 or 600 VOLTS

- Powerful 2 HP motor
- Variable speed (114, 196, 288, 377 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- TRU-LOCK™ cam lock and quick positioning vise system with fully adjustable jaws for 0° to 45° angled cuts
- To ensure reliable accurate cuts, both adjustable control arms can be positioned as close to the cut as possible
- Exclusive 24 volt control panel
- Coolant system with regulator valves provide an even flow of coolant to the blade

**\$3699.**

Precision pressure gauge indicates the blade tension



## 9" X 18" METAL CUTTING BANDSAW

KC-918S-V

### H.S.S. BLADES

KBB-918-10/KBB-918-14  
131 3/4" x 1"

**\$29.**

BI-METAL "SKIP TOOTH"  
KBB-918-BM-610  
KBB-918-BM-812  
131 3/4" x 1"

**\$65.**

- 2 HP Motor
- Variable speed (80-250 FPM)
- Carbide ball bearing blade guides with rollers
- Centralized control panel and automatic shut-off
- Adjustable hydraulic downfeed control
- Coolant system
- Precision blade tension adjustment
- Quick-positioning vise with fully adjustable jaws for 0° to 45° angles
- This machine can make a variety of cuts from 90° to 45° while the material is clamped

**\$4999.**

TRU-LOCK quick locking vise system

### H.S.S. BLADES

KBB-225-10/  
KBB-225-14

**\$29.**  
122" x 1"

VARIABLE SPEED  
AVAILABLE 220 or 550 VOLTS

# METAL LATHES

## 7" X 12" VARIABLE SPEED MINI METAL LATHE

**KC-0712ML**

- 5.5 amp. motor
- Variable speeds 2 (0-1100, 0-2500 R.P.M.)
- 3/4" spindle bore
- Comes complete with quick change gear box, steady rest, replacement gears, 4-way tool post, MT#2 dead center, threading dial indicator, 4" 3 jaw chuck, emergency stop button, chuck key and hex. keys

**\$999.**



## LIVE CENTERS

- Very accurate
- Fitted with taper roller bearings



**KLC-2M**

- MT#2 FITS KC-0712ML

**\$59.**

**KLC-3M**

- MT#3 FITS KC-1022ML, KC-1236ML & KC-1440ML

**\$69.**

## 10" X 22" BELTDRIVE METAL LATHE

**KC-1022ML**

- 12 amp. motor
- 1" spindle bore
- Spindle speeds 6 (150-2400) RPM
- Comes complete with 5"-3 jaw chuck, 6-1/2" 4 jawchuck, replacement gears, 4 way tool post, steady rest, follow rest, 8" face plate, thread chasing dial indicator, MT#3 dead center, MT#4 dead center, full length splash guard, tool box, chuck key and hex. keys

**\$1999.**



## optional METAL LATHE STAND

**SS-1022**

Heavy-duty steel construction

**\$199.**



## 12" X 36" GEARHEAD METAL LATHE

**KC-1236ML/SS-1236**

- Powerful 1.5 HP motor
- Spindle speeds 9 (60-1500) RPM
- 1 1/2" spindle bore
- 40(4-112 T.P.I) 30(.2 - 4.5mm) thread cutting
- Metric and Imperial dials
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 10" DI-4 camlock face plate, thread chasing dial indicator, MT#3 dead center, full length splash guard, tool box, chuck keys and hex. keys

**\$3699.**

## FREE BONUS

**GEARHEAD METAL LATHE STAND SS-1236**

WITH THE PURCHASE OF A 12" X 36" GEARHEAD METAL LATHE

VALUED AT \$299

Raises the height of the table 27" from the floor



## 7 PC. CARBIDE CUTTER HOLDER SET

- 1/4" Carbide Steel 2 position Cutter Tips (5pcs.)
- Carbide Steel Inserts (2pcs.)
- Kit comes in a wooden box with screwdriver and 3 adjustment keys



3/8" Shank  
**KM-047**

5/8" Shank  
**KM-057**

**\$159. \$169.**

Fits Models: KC-0712ML, KC-1022ML  
Fits Models: KC-1236ML, 14440ML-6

## 14" X 40" GEARHEAD METAL LATHE

**KC-1440ML-6**

- Powerful 2 HP motor
- Spindle speeds 8(70-2000 R.P.M.)
- 1 7/16" spindle bore
- 34(4-56 T.P.I) 26(.4 - 7mm) thread cutting
- Metric and Imperial dials
- Comes complete with 6"-3 jaw chuck, 8"-4 jaw chuck, replacement gears, quick change tool post, steady rest, follow rest, 12" DI-4 camlock face plate, coolant system, full length splash guard, thread chasing dial indicator, 2 MT#3 dead centers, JT#5-MT#3 sleeve, chip tray, tool box, halogen lamp, chuck keys, hex. keys, and cabinet stand with foot brake.

**\$4999.**

CABINET STAND WITH FOOT BRAKE INCLUDED



## TAPER ATTACHMENT



**KM-053 (KC-1236ML)**

**KM-054 (KC-1440ML-6)**

**\$599.**

Taper Attachment must be ordered together with Lathe

These Taper Attachments are designed to fit our 12" x 36" & 14" x 40"

Metal Lathes models KC-1236ML & KC-1440ML-6

## GEARHEAD METAL LATHE

- Powerful 7.5 HP (575V) motor
- Spindle speeds (33-2000 R.P.M.)
- 2 1/16" spindle bore
- 4-56 T.P.I. threadcutting
- Comes complete with 8"-3 jaw chuck with inside & outside jaws, 10"-4 jaw chuck, quick adjust 6-way tool post, steady rest, follow rest, 14" (DI-6) camlock face plate, taper attachment, 1 live center MT #4, 2 dead centers MT#4 & MT #6, thread chasing dial, metric and imperial dials, halogen light, coolant system, full length splash guard, 4 positions cross slide stop, cabinet stand (full length with foot brake incorporated) and a tool box.

**KC-1640GH**

**16" X 40" \$13999.**

**KC-1660GH**

**16" X 60" \$14999.**



CABINET STAND WITH FOOT BRAKE INCLUDED

## 7 PC. QUICK CHANGE TOOL POST KITS



**KQCT-0012**

Fits most lathes up to 12" swing

**\$199.**

**KQCT-1015**

Fits most lathes between 12" to 15" swing

**\$269.**

**KQCT-1318**

Fits most lathes between 13" to 18" swing

**\$299.**

## 71 PC. AIR TOOL KIT

8171

Comes with 1/2" Impact Wrench, 3/8" Ratchet Wrench, Air Hammer and 1/4" Die Grinder

**\$99.99**



## SPRAY GUN KITS

8180

8190 HVLP

8195

43 PC.



**\$29.99**

**\$59.99**

**\$69.99**

## 3.5 PEAK HP AIR COMPRESSOR & AIR TOOL COMBO KIT

8494K

- Durable oil lubricated pump
- 11 gallon tank
- 4.6 SCFM @ 40 PSI
- 3.8 SCFM @ 90 PSI
- Air pressure regulator and easy to read pressure gauges
- ASME safety valve
- Convenient reset feature on unit

### Kit includes:

- 1/2" Impact Wrench
- 3/8" Ratchet Wrench
- 25ft. PVC hose
- 4 PC 1/2" impact wrench sockets
- 17pc assorted pneumatic accessories

**\$219.99**



## 9000W GASOLINE GENERATOR WITH ELECTRIC START & WHEEL KIT

KCG-9000GE

- Powerful 15 HP, 4 stroke air cooled OHV engine
- AVR system and electronic ignition
- Two duplex outlets: 120V/62.5 amp AC output
- Two twist lock outlets: 120V/62.5 amp and 120V/240V/62.5/31.3 amp AC output
- Keyed electric start and easy start recoil starter
- AC Circuit breaker and resets for safe operation
- Terminals: 12V/8.3 amp DC output with DC reset
- Running time digital meter, ammeter and voltmeter

**\$1099.99**



Includes **BATTERY**

**EPA**  
Approved

## 5000W SILENT DIESEL GENERATOR WITH ELECTRIC START

KCG-5000DES

- Powerful 10 HP, 4 stroke air cooled "silent" diesel engine
- Brushless alternator
- Low oil shut-off with indicator light protects the engine
- Duplex Outlet: 120V/35 amp AC output
- Twist lock outlet: 120V/35 amp 240V/17.5 amp AC output
- Terminals: 12V/8.3 amp DC output
- Glow plug heater element included for cold weather start
- Keyed electric start
- Volt meter, voltage switch and ground terminal
- AC Circuit breaker and DC fuse for safe operation
- Cabinet is lined with sound-proof material, vibration reducing structure, balancer shaft and large muffler for quiet operation
- Mounted on 4 wheels for easy mobility
- Comes with 12V battery, 8-10, 12-14 and 17-19mm open end wrenches and flat head screwdriver

**\$1599.99**



Includes **BATTERY**

**EPA**  
Approved

# PRESSURE WASHERS

## 2000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-2000

- 2000 PSI, 1.8 GPM maximum water flow
- Powerful 4 HP, 4 stroke air cooled OHV engine
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling

**\$269.99**



**EPA**  
Approved

## 2000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-2001FM

- 2000 PSI, 1.8 GPM maximum water flow
- Powerful 4 HP, 4 stroke air cooled OHV engine
- Thermal relief valve on pump to protect against overheating
- 25' high pressure hose and inlet hose quick connect coupling
- Comes with 8" pneumatic wheels for portability and 4 quick connect nozzles (0°, 25°, 40° and detergent)

**\$319.99**



**EPA**  
Approved

## 3000 PSI GASOLINE HIGH PRESSURE WASHER

KPW-3000FM

- 3000 PSI, 2.7 GPM maximum water flow
- Powerful 6.5 HP, 4 stroke air cooled OHV engine
- Thermal relief valve on pump to protect against overheating
- 30' high pressure hose and inlet hose quick connect coupling
- Comes with 10" pneumatic wheels for portability and 5 quick connect nozzles (0°, 15°, 25°, 40° and detergent)

**\$419.99**



**EPA**  
Approved

# PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Loading abrasive is made simple using the concave funneltop of the tank
  - Safety pressure relief valve
  - 1/2" (I.D.) x 8 ft abrasive feed hose
- Durable wheels and handle allow for easy mobility and flexible operation
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5mm), water separator filter, protective blast hood and teflon tape

**KSB-10**  
**10 GALLON**



**\$179.99**

**KSB-20**  
**20 GALLON**



**\$219.99**

Protective blast hood included



## SAND BLAST CABINETS

- KSB-350**
- Filtered fluorescent light
  - Aluminum gun with 3 ceramic replacement nozzles
  - Doors located on both sides of cabinet left and right
  - 2 rubber gauntlet gloves mounted in front

**REPLACEMENT CERAMIC NOZZLES 4 PC. KIT**  
**KM-036** **\$19. ea.**  
Fits KSB-110N & KSB-350





**\$599.**

**KSB-110N-9**

- Filtered fluorescent light
- Aluminum gun with 3 ceramic replacement nozzles
- 2 rubber gauntlet gloves mounted in front
- Clear plastic full sized lid on top

**\$179.**

## 7" POLISHER/SANDER KIT

- 8369B**
- Powerful 11 amp motor
  - Variable speed dial (1,000 - 3,000 RPM)
  - Comes with 7" polishing backing pad, wool bonnet, 7" sanding hook-and-loop backing pad, 7" hook-and-loop 80 grit sanding paper and wrench

**\$99.99**



**NEW**

Double Insulation

### REPLACEMENT WOOL BONNET



**\$14.99**

### REPLACEMENT 7" SANDING PAPER KIT



**\$7.99**

## 1/2" IMPACT WRENCH



- 7 amp. motor
- Impacts 2700 / Min.
- Maximum Torque 230 /ft.-lbs
- Comes with 4 sockets 11/16", 3/4", 13/16", and 7/8"

**\$99.99**

Double Insulation

## CHAIN HOISTS

**DCB-1**  
Capacity: 1 ton  
Standard lift: 10ft  
Headroom: 13 1/2"  
No. of falls: 1

**\$119.**

**DCB-2**  
Capacity: 2 ton  
Standard lift: 10ft  
Headroom: 17 1/2"  
No. of falls: 2

**\$199.**



**\$189.**

**LEVER HOIST**  
**DP-075**

- Capacity: 3/4 ton
- Standard lift 5'
- Lever length 13 1/4"



**\$219.**

**LEVER HOIST**  
**DP-150**

- Capacity: 1 1/2 ton
- Standard lift 5'
- Lever length 18 1/4"

## ADJUSTABLE TROLLEYS

**DT-1**  
Capacity: 1 ton  
I-Beam flange width: 3 1/2"-6"

**\$99.**

**DT-2**  
Capacity: 2 ton  
I-Beam flange width: 3 1/2"-6"

**\$139.**



## PALLET TRUCKS

**D-2048P** 20 1/2" x 48"  
**D-2748P** 27" x 48"  
• Max. raised height of forks 7 3/4"  
• Min. height of forks 2.9"  
• 5500 lbs. capacity  
• 3 position control handle

**\$399.**



# RE-TOOL YOUR MACHINE SHOP THIS FALL

## BENCH GRINDERS

Come complete with adjustable eye shields, tool rests and stones

### BENCH GRINDER STAND SS-150

- Made of cast iron with coolant reservoir
- 32 3/4" high

- KC-690**  
• 3.5 amp. motor  
• 3500 RPM

**\$49.99**

- KC-890**  
• 7 amp. motor  
• 3450 RPM

**\$85.99**

- KC-1090**  
• 14 amp. motor  
• 1740 RPM

**\$259.99**



**6"**



**8"**



**10"**



**\$69.99**

### 14" CUT-OFF SAW

**8342**

- 15 amp. motor

**\$139.99**



### 2 TON FOLDING SHOP CRANE

**KFC-2**

- Simply remove two leg pins to lower or raise for storage
- 4 position boom extends from 42" to 63"
- Legs extend to 67 1/2"
- 8 Ton long stroke jack included



**\$249.**

### CLEANING BRUSH FOR PARTS WASHERS

**KM-059**

**\$19.99**



### RECIRCULATING PARTS WASHERS

**KPW-205**

- Thermally protected 110V motor with on / off switch
- Durable pump included
- 3.5 gallon solvent capacity

**5 GALLON**

**KPW-240**

- Safety lever has fusible link
- 30 gallon solvent capacity
- Durable pump included

**40 GALLON**



**\$69.99**



**\$199.99**

## COMPRESSORS & ACCESSORIES

### 5 PEAK HP AIR COMPRESSOR

**8498**

- Durable oil lubricated pump
- A.S.M.E. 20 gallon tank
- 7.4 SCFM @ 40 PSI
- 5.7 SCFM @ 90 PSI
- Air Pressure Regulator and easy to read Pressure Gauges



### PVC AIR HOSE KIT

**Kit includes:**

- 300 PSI PVC hose
- 1/4" Universal One-touch quick coupling
- 1/4" air inlet

**KAH-3825**  
**3/8" x 25'**

**\$18.99**

**KAH-3850**  
**3/8" x 50'**

**\$27.99**

**COMPRESSOR OIL BOTTLE (850ml)**

**KW-077**

**INCLUDED**

with the purchase of # 8498

Sold separately **\$5.99**

**\$299.99**

### MILLING DRILLING MACHINE

**PDM-30**

- 2 HP motor (110-220V)
- 16-1/2" swing
- 1 1/4" Drilling capacity
- 3" Face mill capacity
- 12 speeds (150-2500 RPM)
- 5" stroke
- Spindle taper R8



**FREE BONUS PACKAGE**  
**\$343.85**  
**5 PC**  
**ACCESSORY BONUS PACKAGE FREE**

**INCLUDED WITH THE PURCHASE OF A PDM-30 MILLING DRILLING MACHINE**  
Includes: angle drill press vise, drill chuck with key, drill chuck arbor, carbide tipped face mill and shell mill arbor

**\$1599.**

**optional MILLING DRILLING MACHINE STAND**

**\$5-45**  
Heavy-duty steel construction

**\$219.**

We reserve the right to limit quantities. We also reserve the right to correct printing errors. Articles may vary from illustration shown. Some retailers may not stock all products due to space restrictions and product availability.

We reserve the right to correct any typographical and pictorial errors without notice.